Various Reasons to choose Grandeur

800x 2400mm

FULLBODY TILES


MODERN INCEPTION FOR UNIQUE PEOPLE

The 800x2400mm fullbody tiles of the Our collection are crafted to become the ideal choice for urban architectural style with their grand size and exuberant style.





PERFECT SIZE THAT MAXIMIZE YOUR ASPIRATION



FULLBODY 800x2400mm

Our Smart Solid Surface is so innovative and versatile that they break down the barriers between surfaces for architecture and furnishing, between indoor and outdoor use. These tiles are not just the perfect size and modular formats for any flooring or wall, but also can dress everything, from the walls of a skyscraper to a garden table. With Our, the freedom to design grows, with solutions that were impossible until yesterday.


APPLICATIONS

The 800x2400mm fullbody tiles are one of the most versatile elements that can be incorporated in any exterior or interior space. Their application is not restricted to walls or floors as they can be installed in a variety of spaces.



KITCHEN UNIT TOP & COUNTER TOP


One of the trendy applications of tiles has been the kitchen countertops. The 800x2400mm tiles give an effortless look to the kitchen with their luxurious charm.





WORK DESK & RECEPTION DESK

The 800x2400mm tiles, with their stain resistance, water resistance, scratch resistance and other features become the best option for a work desk and reception desk as it requires surfaces that ages well.





STAIRCASE

The fullbody 800x2400mm tiles are perfectly suitable to be applied on the staircase as they are resistant to heavy wear and tear. Their durability avoids the edges of the stairs from getting cracked or chipped.





TABLE TOP & FURNITURE

When designing an urban space, the 800x2400mm tiles become the perfect choice for the tabletops and furniture as they give it a clean and elegant look with comfortable functionality.






WINDOW & DOOR SILLS

The 800x2400mm fullbody tiles become the sturdy support structures for window sills and door frames and add details and aesthetic value to the decor of the space.





HEAVY TRAFFIC AREA

The 800x2400mm tiles create a spacious look with their grand size and decreased grout lines in heavy traffic areas like airports, malls, etc. Their durability adds to the functionality of such areas.



FEATURES

The Our Fullbody tiles explore high standards in design aesthetics and performance with their large size and various features that make them highly durable. These tiles create a comfortable space with high-end functionality that enhances the experience of a place. They allow the development of superior spaces with features that go beyond every expectation.



Easy To Clean

Porcelain tiles are easy to clean.



Stain Resistant

Porcelain tiles are waterproof, no liquid can damage the surface.



Scratch Resistant

Porcelain tiles do not splinter, break or get damaged.



Resistant To Acids

Porcelain tiles are resistant to acids found in food and cleaning products.




Waterproof

Porcelain tiles are easy to clean.



Frost Resistant

A porcelain tile floor will not change as a result of sharp temperature fluctuations result of extreme cold.



Resistant To Thermal Shock

A porcelain tile floor will not change as a result of sharp temperature fluctuations result of extreme heat.



Fire Resistant

Porcelain tiles are not flammable, reduce the spread of flames, do not burn, and do not emit toxic fumes.



Prevent Bacterial Growth

Porcelain tiles are completely hygienic and inhospitable for bacteria, mites, molds, and fungi.



COVE


EDGE PROFILES

Our designs are available in glossy and matt finishes and different types of edge profiles to expand your design options. Offering unmatched durability with no maintenance, easy-care convenience, and superior stain resistance, we back our surfaces with a transferable Full Lifetime Warranty to ensure years of flawless service.

OGEE

DUPONT


BULLNOSE





OGEE

SNP












TERRAZOGREY


TYPOPOGY | THICKNESS | SIZE | FINISH | GLOSSY














GRAFITO CHIPS


TYPOPOGY | THICKNESS | SIZE | FINISH | GLOSSY











FERRO CHIPS

TYPOPOGY

THICKNESS

SIZE


FINISH

FULLBODY

15mm

800x2400mm

GLOSSY





WHITE

ELEGANT

SIZE - 800x2400mm

TYPOPOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY

AVAILABLE IN MATT FINISH AS 'VINTAGE WHITE'

ORRA GREY

SIZE - 800x2400mm

TYPOPOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY

AVAILABLE IN MATT FINISH AS 'LARIX GREY'

GRAFITO BLACK

SIZE - 800x2400mm

TYPOPOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY

AVAILABLE IN MATT FINISH AS 'LARIX BLACK'

ORRAGREY

TYPOPOGY

THICKNESS
15mm

SIZE


FINISH

FULLBODY

15mm

800x2400mm

GLOSSY



CREMA IVORY

SIZE - 800x2400mm

TYPOPOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY

AVAILABLE IN MATT FINISH AS 'CREMA SCURO'

FERRO BROWN

SIZE - 800x2400mm

TYPOPOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY

AVAILABLE IN MATT FINISH AS 'MARRON BROWN'

MOCCA VERDE

SIZE - 800x2400mm

TYPOPOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY

AVAILABLE IN MATT FINISH AS 'MOCCA BEIGE'

JAISALMER

SIZE - 800x2400mm

TYPOPOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY

MOCCAVERDE

TYPOPOGY

THICKNESS

SIZE

FINISH

FULLBODY

15mm

800x2400mm


GLOSSY





CARVING

AN ESSENCE OF CONTEMPORARY EXPRESSION











SPARKLEWHITE

TYPOPOGY THICKNESS SIZE SIZE FINISH CARVING










SPARKLEJAISALMER

TYPOPOGY THICKNESS SIZE SIZE FINISH CARVING





NANO WHITE

SIZE - 800x2400mm

TYPOPOGY - GLAZED BODY

THICKNESS - 15mm

FINISH - GLOSSY



ZED BLACK

SIZE - 800x2400mm

TYPOPOGY - GLAZED BODY

THICKNESS - 15mm

FINISH - GLOSSY



ZEDBLACK

TYPOPOGY
GLAZED BODY

THICKNESS
15mm

SIZE
800x2400mm


GLOSSY




PRINTED SERIES



WHITE COLOR BODY





SPIDER STATUARIO

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY





GALAXY STATUARIO

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY







NEXA WHITE

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



ATLANTIC WHITE

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY





FACE

A A

ATLANTIC WHITE

TYPOPOGY

THICKNESS

SIZE

FINISH

COLOR BODY

15mm

800x2400mm

GLOSSY





HELIX WHITE

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



WHITE **TOPAZ**

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY









SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



BIANCO LASA

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY









WHITETOPAZ

TYPOPOGY
COLOR BODY

THICKNESS
15mm

SIZE
800x2400mm

GLOSSY





IMPERIAL WHITE

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



PEARL ONYX

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY









SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



MATRIX WHITE

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY









MATRIX WHITE

TYPOPOGY

THICKNESS

SIZE

FINISH

COLOR BODY


15mm

800x2400mm

GLOSSY



BLACK COLOR BODY





SAHARA BLACK

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



NERO MARQUINA

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY




MUSHROOM BLACK

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



SONATA BLACK

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm









MUSHROOM BLACK

TYPOPOGY
COLOR BODY

THICKNESS
15mm

SIZE
800x2400mm

GLOSSY





THUNDER BLACK

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



BLACK PEARL

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY









DEVONIAN BLACK

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



BLACK RIVER

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

 $\mathsf{FINISH}\text{-}\mathsf{GLOSSY}$






THUNDERBLACK

TYPOPOGY
COLOR BODY

THICKNESS
15mm

SIZE
800x2400mm

FINISH
GLOSSY





ALPIN BROWN

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY





PORTORO GOLD

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY







BLACK TIGER

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



COSMOS BLACK

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

 $\mathsf{FINISH}\text{-}\mathsf{GLOSSY}$






PORTORO GOLD

TYPOPOGY
COLOR BODY

THICKNESS
15mm

SIZE
800x2400mm

GLOSSY





UNIQUE NEGRO

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



OPAL BLUE

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY







EMRALD QUARTZ

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



PANTHER BLACK

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm








OPALBLUE

TYPOPOGY
COLOR BODY

THICKNESS
15mm

SIZE
800x2400mm

FINISH
GLOSSY





BRESSA BLACK

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



TAURAS BLACK

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY








VOLGA BLUE

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



OCEAN BLUE

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY







LUMURIA NEGRO

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



MONET BLACK

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm







TIMELESS DESIGN WITH A TRENDY FLAIR





COSMIC BEIGE

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



BOTTOCHINO

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



BRECCIA MAX

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



DYNA **TURKISH**

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



FACE 1








DYNATURKISH

TYPOPOGY | THICKNESS | SIZE | FINISH | GLOSSY



RED COLOR BODY





FIRE EMPRA

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



RED GRANITE


SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY







MARMO DE BERRY

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



ROSSO RIVER

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY









SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm







VERSATILE SURFACES WITH PERFECT CHROMATIC HARMONY





CARPECIA WINE

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



MANGO ONYX

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY





HOW WE ARE DIFFERENT FROM GRANITE & QUARTZ

AREA OF COMPARISON	OUR	GRANITE	QUARTZ STONE
Flexural Strength	> 40 Mpa	> 21 Mpa	40 - 50 Mpa
Apparent Density	2.20 - 2.70 kg/dm3	2.20 - 2.40 kg/dm3	2.20 - 2.45 kg/dm3
Abrasion Resistance	> 25 mm	> 16.4 - 18 mm	20 - 22 mm
Colour Consistency	As Per Standard	Variable	As Per Standard
Porosity	Low	High	High
Frost Resistance	Pass	Pass	Fail
Cost Of Onsite Polishing	Nil	Extra	Nil
Water Absorption %	0.08	0.1	0.2
Wastage	No	Yes	No
Pinhole Cracks	No	Yes	No
Uniformity In Quantity Supplied	Yes	No	No
Laying & Completion Time	Low	High	Average
Maintenance	Low	High	High
Size Consistency	Yes	No	Yes
Thickness	Fix	Variable	Fix
Hardness	6	4	6
Breaking Strength	High	Low	High
Glossiness	95+	70	55
Chemical Resistance	Resistance	Reactable	Reactable
Stain Free	Yes	No	No

All pictures are shown for illustration purposes only. Kindly note, actual colors may vary and color variation with batch change may occur.

TECHNICAL SPECIFICATION OF OUR FULLBODY VITRIFIED TILE

	TEST DISCRIPTION									
CHARACTERISTIC	TEST METHOD	STANDARD AS PER ISO-13006/EN14411 GROUP	OUR VALUE							
Deviation in Length	IS-13630-1	±0.50%	±0.10%							
Deviation in Width	IS-13630-1	±0.50%	±0.10%							
Deviation in Thickness	IS-13630-1	±5.00%	±5.00%							
Straightness of Sides	IS-13630-1	±0.50%	±0.10%							
Rectangularity	IS-13630-1	±0.60%	±0.15%							
Surface Flatness	IS-13630-1	±0.50%	±0.20%							
Surface Quality	IS-13630-1	Min. 95%	Min. 95%							
PHYSICAL PROPERTIES										
Water Absorption	IS-13630-2	≤0.50%	≤0.50%							
Modulus of Rupture(N/mm2)	IS-13630-6	Min. 35N/mm²	Min. 37N/mm²							
Breaking Strength(N)	IS-13630-6	≥7.5mm-1300N	≥7.5mm-1400N							
Moisture Expansion(mm/m)	IS-13630-3	0.06 Max	0.01 Max							
Scratch Hardness of Surface	IS-13630-13	Min. 4	Min. 4							
Resistance of Surface Abrasion(Glazed Tiles)	IS-13630-11	As pr Mfg.	Class II Min.							
Coefficient of Linear Thermal Expansion	IS-13630-4	As pr Mfg.	6.5x10 ^{-0.6} Max.							
Thermal Shock Resistance	IS-13630-5	10 Cycles Min.	10 Cycles Min.							
Crazing Resistance	IS-13630-9	As pr Mfg.	5 Cycles at 7.5Bar Pressure							
Impact Resistance-Coefficient of Restitution	IS-13630-14	As pr Mfg.	0.55 Min							
Frost Resistance	IS-13630-10	As pr Mfg.	No Damage							
Bulk Density (g/cc)	IS-13630-2	>2.0 gm/cc	>2.0 gm/cc							
CHEMICAL PROPERTIES										
Resistance of Staining	IS-13630-8	Class I Min.	Class II							
Resistance of Household Chemicals	IS-13630-8	Class AA Min.	Class AA							
Resistance to Acids & Alkalis	IS-13630-8	As pr Mfg.	Min. Class A							
Slip Resistance	150-13006/EN1444 Group B A	As pr Mfg.	As pr Mfg.							

PACKING DETAIL

No.	Size	Thickness (approx.)	Pieces/Box	Area/Box	Wt./Box (approx.)
01	800x2400mm	15mm	1 pcs.	1.92 sq. mtr.	66 Kgs.